Contents Volume 136, 1997

Iceberg rafting and scouring in the Early Permian Shoalhaven Group of New South Wales, Australia: Evidence of Heinrich-like events?
N. Eyles, C.H. Eyles and V.A. Gostin 1
Biogeographic impact of the Leeuwin Current in southern Australia since the late middle Eocene
B. McGowran, Q. Li, J. Cann, D. Padley, D.M. McKirdy and S. Shafik 19
Palaeoenvironmental significance of a benthic foraminiferal fauna from an archaeological excavation in the Lagoon of Venice, Italy
R. Serandrei Barbero, A.D. Albani and S. Zecchetto 41
Response of larger foraminifera to mixed carbonate–siliciclastic environments: an example from the Oligocene–Miocene sequence of Kutch, India
A. Kumar and P.K. Saraswati 53
Gastropod shell repair in the intertidal of Bahía la Choya (N. Gulf of California)
G.C. Cadée, S.E. Walker and K.W. Flessa 67
Palaeoenvironmental interpretation of a Triassic–Jurassic boundary section from Western Austria based on palaeoecological and geochemical data
C.A. McRoberts, H. Furrer and D.S. Jones 79
Tectonic and palaeobiogeographic significance of the Chatham Islands, South Pacific, Late Cretaceous fauna
J.D. Stilwell 97
The determination of late Quaternary paleoenvironments at Equus Cave, South Africa, using stable isotopes and amino acid racemization in ostrich eggshell
B.J. Johnson, G.H. Miller, M.L. Fogel and P.B. Beaumont 121
A fossil termite nest from the Marplatan stage (late Pliocene) of Argentina: palaeoclimatic indicator
J.F. Genise 139
Early Palaeocene palaeoclimatic inferences from fossil floras of the western interior, USA
K. Siân Davies-Vollum 145
High-frequency sea-level fluctuations and plant habitats in Cenomanian fluvial to estuarine succession: Pecínov quarry, Bohemia
D. Uličný, J. Kvaček, M. Svobodová and L. Špičáková 165
Calibrating grass phytolith assemblages in climatic terms: Application to late Pleistocene assemblages from Kansas and Nebraska
G.G. Fredlund and L.L. Tieszen 199
Phytoliths: indicators of grassland dynamics during the late Holocene in intertropical Africa
A. Alexandre, J.-D. Meunier, A.-M. Lézine, A. Vincens and D. Schwartz 213
Reconstruction and paleoclimatic interpretation of Holocene lake-level changes in Lac de Saint-Léger, Haute-Provence, southeast France
G. Digerfeldt, J.-L. de Beaulieu, J. Guiot and J. Mouthon 231
A revised 30,000-year paleoclimatic and paleohydrologic history of Lake Albert, East Africa
K.R.M. Beuning, M.R. Talbot, K. Kelts and D.A. Livingstone 259
A continuous Late Glacial and Holocene record of vegetation changes in Kazakhstan
P.E. Tarasov, D. Jolly and J.O. Kaplan 281
Late Wisconsin environments of the Bering Land Bridge
S.A. Elias, S.K. Short and H.H. Birks 293
Palaeogeographical significance of clay mineral assemblages in the Permian and Triassic sediments of the SE Iberian Ranges, eastern Spain
J. Alonso-Azcárate, A. Arche, J.F. Barrenechea, J. López-Gómez, F.J. Luque and M. Rodas 309
Palaeoceanography of the early Zechstein Sea during Kupferschiefer deposition in the Lower Rhine Basin (Germany): A reappraisal from stable isotope and organic geochemical investigations
A. Bechtel and W. Püttmann 331
Application of artificial neural networks to paleoceanographic data
B.A. Malmgren and U. Nordlund 359

Erratum 375

Author Index 377